

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions and listings of claims in the application:

1. (Currently amended) A gaming method, comprising:  
  
receiving, at a server, a purchase request for at least one wager from a patron at a first client terminal before ~~[[the]]~~ a game play has begun;  
  
determining, at the server, results of the at least one wager before the game play has begun;  
  
storing, at the server, the results of the at least one wager in a database before the game play has begun;  
  
adjusting, at the server, an account of the patron based on the results of the at least one wager before the game play has begun;  
  
receiving, at the server, from a second client terminal during the game play, a request to reveal the results of the at least one wager; and  
  
sending, from the server, the results of the at least one wager to the second client terminal during the game play.

2. (Currently amended) The method of claim 1, wherein receiving, at the server, a purchase request ~~for at least one wager~~ includes receiving a purchase amount.

3. (Currently amended) The method of claim 1, wherein receiving, at the server, a purchase request ~~for at least one wager~~ includes receiving a purchase amount and a denomination value.

4. (Currently amended) The method of claim 1, wherein receiving, at the server, a purchase request ~~for at least one wager~~ includes receiving a number of wagers and a denomination value.

5. (Currently amended) The method of claim 1, wherein receiving, at the server, a purchase request ~~for at least one wager~~ includes receiving a purchase request from a client terminal located at a facility.

6. (Currently amended) The method of claim 1, wherein sending, from the server, the results of the at least one wager to the second client terminal during the game play comprises sending the results of the at least one wager to the second client terminal during the game play in response to a request received via an online network connected to the server to reveal the results of the at least one wager during the game play.

7. (Currently amended) The method of claim 1, wherein sending, from the server, the results of the at least one wager to the second client terminal during the game play includes sending the results of the at least one wager to the second client terminal during the game play via an online network.

8. - 21. (Cancelled)

22. (Currently amended) A computer-readable medium containing instructions for causing a computer to perform a gaming method, the method comprising:

- receiving, at a server, a patron identifier identifying a patron from a first client terminal before a game play has begun;
- receiving, at the server from the first client terminal before the game play has begun, a purchase request for at least one wager;
- debiting, at the server, an account balance of a patron account corresponding to the received patron identifier based on the received purchase request;
- determining, at the server, a result of the at least one wager before the game play has begun;
- storing, at the server, the result of the at least one wager in a database before the game play has begun;
- adjusting, at the server, the account balance of the patron account based on the result of the at least one wager before the game play has begun;
- receiving, at the server, a request to reveal the result of the at least one wager from a second client terminal during the game play; and
- sending, from the server, the results of the at least one wager to the second client terminal during the game play.

23. - 28. (Cancelled)

29. (Currently amended) A computer readable medium containing instructions for causing a computer to perform a gaming method, the method comprising:

receiving, at a server, a patron identifier identifying a patron from a client terminal before a game play has begun;

receiving, at the server, a purchase request for a plurality of wagers from the client terminal before the game play has begun;

debiting, at the server, an account balance of a patron account corresponding to the received patron identifier based on the received purchase request;

determining, at the server, results of the plurality of wagers before the game play has begun;

adjusting, at the server, the account balance of the patron account based on the results of the plurality of wagers before the game play has begun;

storing, at the server, the results of the plurality of wagers in a database before the game play has begun;

receiving, at the server, a request to reveal the results of the plurality of wagers during the game play; and

sending, from the server, the results of the plurality of wagers to the client terminal during the game play.

30. (Cancelled)

31. (Currently amended) A server connected to a plurality of client terminals in a gaming system, comprising:

- a communications component for receiving, from a patron at a first client terminal, a purchase request for at least one wager before a game play has begun;
- a wagering component for determining results of the at least one wager before the game play has begun;
- an adjusting component for adjusting an account balance of the patron according to the results of the at least one wager before the game play has begun;
- a database for storing the results of the at least one wager before the game play has begun;
- a reveal component for receiving a request from a second client terminal to reveal the results of the at least one wager during the game play; and
- a sending component for sending the results of the at least one wager to the second client terminal during the game play.

32. (Original) The server of claim 31, wherein the communications component further comprises a database interface for retrieving the results of the at least one wager from the database.

33. (Currently amended) A server connected to a plurality of client terminals in a gaming system, comprising:

means for receiving, from a patron at a client terminal, a purchase request for a plurality of wagers before a game play has begun;

means for determining results of each of the plurality of wagers before the game play has begun;

means for adjusting an account balance of the patron according to the results of each of the plurality of wagers before the game play has begun;

means for storing each of the results of the plurality of wagers before the game play has begun;

means for receiving a request to reveal the results of the plurality of wagers during the game play; and

means for sending the results of the plurality of wagers to the client terminal during the game play.

34. (Cancelled)

35. (Currently amended) A gaming method, comprising:  
receiving, at a server, a purchase request for at least one wager from a first client terminal before a game play has begun;

determining, at the server, results of the at least one wager before the game play has begun;

updating a player account based on the results of the at least one wager before the game play has begun;

storing, at the server, the results of the at least one wager in a database before the game play has begun;

receiving, at the server, from a second client terminal, a request for the results of the at least one wager during the game play; and

sending, from the server, the results of the at least one wager to the second client terminal during the game play.

36. (Cancelled)